

## 1 Identification

© Abbott Laboratories

Last alteration on 03/03/2018

## • Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

· ADD List number:

Release date 03/03/2018

05P70-01 05P71-01 05P72-01 05P73-01

· Application of the substance / mixture: For In Vitro Diagnostic Use

#### · Manufacturer / Supplier:

Abbott Diagnostics 100 Abbott Park Road Abbott Park, IL 60064-3500

Phone: 1-877-4 ABBOTT

· Department issuing SDS: Abbott Diagnostics Environmental Health and Safety

#### · Emergency telephone number

Contact the CHEMTREC® Emergency Call Center for assistance with transportation or hazardous materials emergencies (24 hours/day, 7 days/week). Refer to Abbott customer number 675922.

- Telephone (800) 424-9300 (toll-free) if you are calling from within the United States, Canada, Puerto Rico and the Virgin Islands.

- Telephone +1 (703) 527-3887, the international and maritime number (collect calls accepted), if you are calling from outside the United States or from a ship at sea.

## 2 Hazard(s) identification

#### Classification of the substance or mixture

This product has been evaluated per the classification criteria in the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). This product does not meet the criteria for classification in accordance with the GHS.

#### Label elements

- · GHS label elements: none
  - · Hazard pictograms: none
  - · Signal word: none
  - · Hazard statements: none
- · Routes of Exposure:
- Skin: No adverse effects expected when used as directed.
- Eye: No adverse effects expected when used as directed.
- Inhalation: No adverse effects expected when used as directed.
- Ingestion: No adverse effects expected when used as directed.
- · Hazard Overview
  - · Health: No adverse effects expected if used as directed.
  - · Fire: Noncombustible
  - $\cdot$  Reactivity: Minimal hazard Stable, even in a fire. Not reactive with water. Not an oxidizer.

## **3** Composition/information on ingredients

• Chemical characterization: Mixture of chemical and/or biological substances for in vitro diagnostic use.



Last alteration on 03/03/2018

# Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

Hazardous chemical ingredients per U.S. OSHA criteria (29 CFR 1910.1200 Hazard Communication):
CAS: 110-98-5 | 1,1'-oxydipropan-2-ol
 3.47%

## 4 First-aid measures

#### After inhalation:

Remove from source of exposure. If irritation or signs of toxicity occur, seek medical attention.

#### After skin contact:

Take off any clothing that the product touched.

Release date 03/03/2018

Rinse skin with running water for 15 to 20 minutes. Seek medical attention if irritation or signs of toxicity occur.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Wash hands after handling.

• After swallowing: Rinse mouth with water. If irritation or signs of toxicity occur, seek medical attention.

#### Information for Medical Personnel

- · Most important symptoms and effects, both acute and delayed: None expected
- · Medical conditions aggravated by exposure: None known

### **5 Fire-fighting measures**

#### Suitable extinguishing agents

Dry chemical, carbon dioxide (CO2), water spray or regular foam.

- Caution: CO2 will displace air in confined spaces and may cause an oxygen-deficient atmosphere.
- For larger fires: There are no unique chemical or reactivity hazards that would impact firefighting decisions

related to this product. Use firefighting measures that suit the environment.

#### Special hazards arising from the substance or mixture

There are no unique chemical or reactivity hazards that would impact firefighting decisions due to the chemicals in this product.

#### Protective equipment

For large fires, wear appropriate heat- and flame-resistant personal protective equipment and a NFPA/NIOSH approved positive-pressure, self-contained breathing apparatus.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize exposure by using appropriate personal protective equipment as listed in Section 8. Stop leak if possible. Keep unprotected persons away.

#### Environmental precautions

Prevent liquid and vapor from entering sewage system, storm drains, surface waters, and soil.

#### Methods and material for containment and cleaning up

Blot up small volumes of spilled or spattered product with paper towels or similar materials. - Contain larger spills by placing absorbants around the outside edges of the spill. Absorb with any material suitable for water-based liquids - e.g. paper towels, universal sorbents, sand, diatomite, sawdust, etc.



## Safety Data Sheet

#### © Abbott Laboratories

ries Release date 03/03/2018

Last alteration on 03/03/2018

## Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

Clean the affected area. Suitable cleaners are: - warm water and detergent or similar cleansing agent

Dispose of spilled and contaminated material in accordance with Federal, State, and Local regulations. See Section 13 for information that may impact disposal of materials contaminated with this product.

#### **Reference to other sections**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

• **Precautions for safe handling:** Avoid direct contact with material. If handled, wash thoroughly. Practice general safety precautions.

- · Information about protection against explosions and fires: The product is not flammable.
- Requirements to be met by storerooms and receptacles: Store only in the original container. Refer to the package insert or product label for additional information on storage conditions for product quality.
- · Information about storage in one common storage facility: Store in original packaging.
- Further information about storage conditions: Protect from heat and direct sunlight.

## 8 Exposure controls/personal protection

#### Components with Occupational Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 5	7-13-6 Urea (0.078 %)			
WEEL	TWA: 10 mg/m <sup>3</sup>			
CAS: 1	CAS: 12125-02-9 ammonium chloride (0.0003 %)			
REL	STEL/C: 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>			
TLV	STEL/C: 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>			

#### · General protective and hygienic measures:

Always maintain good housekeeping and follow general precautionary measures. Do not eat, drink or store food and beverages in areas where chemicals or specimens are used. Wash hands before breaks, after handling reagents and specimens, and at the end of the workshift.

#### · Breathing equipment:

Normal use and storage of product - respiratory protection is not necessary if room is well ventilated.

Small-volume spills (e.g. small enough to clean up with a paper towel or small sorbent pad) - respiratory protection should not be necessary if room is well ventilated.

Other unusual conditions (e.g. volume spilled too big to clean up with materials in arm's reach) - Use appropriate NIOSH-approved air-purifying respirator if airborne chemical concentrations may exceed the exposure limit (if any) listed above.



Last alteration on 03/03/2018

# Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

Hazardous Materials Emergencies or Firefighting - use NIOSH/NFPA-approved respiratory protection.

#### · Hand protection:

Wear impervious gloves if hand contact with the material is anticipated. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

#### · Material of gloves and breakthrough time of the glove material:

The glove material must be suitable for use in a microbiological laboratory and have a measured breakthrough time of at least 30 minutes, such as those with a Class 2 protection index per EN374 (or equivalent standard applicable in your region). NOTE: This recommendation applies only to the product stated in this Safety Data Sheet. When dissolving in or mixing with other substances, contact the supplier of approved gloves.

#### · Eye protection:

Wear safety glasses or other protective eyewear. If splash potential exists, wear full face shield or goggles.

#### Body protection:

Normal use: protect personal clothing from spatters and small spills. Wear a laboratory coat (or other protective clothing required by your institution).

Larger spills (e.g. that can saturate cloth): wear appropriate water-repellant covering over clothing.

## 9 Physical and chemical properties

Release date 03/03/2018

#### General Information

General Information		
· Form:	Solution	
· Color:	Blue	
· Odor:	Odorless	
· pH-value at 20 °C (68 °F)	6.5-8	
• Melting point/Melting range:	Not determined	
· Boiling point/Boiling range:	Not determined	
· Flash point	Not applicable	
Flammability (solid, gaseo	••	
Auto igniting	Product is not self-igniting.	
Danger of explosion	Product does not present an explosion hazard.	
Explosion limits	r toddet does not present an explosion nazard.	
· Lower:	Not determined	
· Upper:	Not determined	
opper.	Not determined	
Density	Not determined	
<ul> <li>Evaporation rate:</li> </ul>	Not determined	
· Solubility in / Miscibility wi	ith	
· Water:	Fully miscible	
· Dynamic:	Not determined	
· Water:	93.6 %	
<ul> <li>Solids content:</li> </ul>	0.0 %	



#### © Abbott Laboratories Release date 03/03/2018

Last alteration on 03/03/2018

## Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

## 10 Stability and reactivity

- **Thermal decomposition** / **conditions to be avoided** No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

#### • Acute toxicity

 $\cdot$  LD50/LC50 values for hazardous ingredients per OSHA criteria:

Ingredients (100% pure substance/s):

CAS: 110-98-5 1,1'-oxydipropan-2-ol

Oral LD50 14,850 mg/kg (rat)

- · Primary toxicological effects of the final product:
  - · Skin irritation: No irritant effect.
  - · Eye irritation: No irritant effect.

#### · Sensitization:

Skin sensitization is possible with prolonged exposure, based on the reported properties of methylisothiazolones.

#### Additional toxicological information: None

#### Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Target organs/systems: Unknown

## **12 Ecological information**

· Aquatic toxicity: No further relevant information available.

Additional ecological information

· General notes: Not known to be hazardous to water.

#### Results of PBT and vPvB assessment

• **PBT:** Not applicable



USA

Last alteration on 03/03/2018

# Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

· vPvB: Not applicable

## **13 Disposal considerations**

· Recommendation for disposal of unused product:

Dispose in accordance with federal, state and local regulations.

· Recommendation for disposal of packaging:

Release date 03/03/2018

Non-contaminated packaging may be used for recycling. Refer to applicable local regulations and institutional policies.

For disposal of contaminated packaging, refer to applicable local regulations and institutional policies.

• Recommended cleansing agent: Water with cleansing agents, if necessary.

Transport informati	
· DOT, ADN, IMDG, IATA	none
· UN proper shipping na · DOT, ADR, ADN, IMDG, I	
Transport hazard class	s(es)
· DOT, ADR, ADN, IMDG, I	ΙΑΤΑ
· Class	none
· DOT, IMDG, IATA	none
• Environmental hazards • Marine pollutant:	S No
- Additional information	
· DOT	
· Remarks:	Not restricted for transportation.
· ADR	·
· Remarks:	Not restricted for transportation.
· IMDG	
· Remarks:	Not restricted for transportation.
· IATA	
· Remarks:	Not restricted for transportation.

## **15 Regulatory information**

#### · SARA (Superfund Amendments and Reauthorization Act of 1986 - USA):

#### Section 302/304 (40CFR355.30 / 40CFR355.40):

The product does not contain listed substances.

#### Section 313 (40CFR372.65):

The product does not contain listed substances.



Last alteration on 03/03/2018

# Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

· TSCA new (21st Century Act) (Substances not listed)

· California Proposition 65 (USA):

· Chemicals known to cause cancer:

Release date 03/03/2018

The product does not contain listed substances.

· Chemicals known to cause female reproductive toxicity:

None of the ingredients is listed.

· Chemicals known to cause male reproductive toxicity:

None of the ingredients is listed.

Chemicals known to cause developmental reproductive toxicity:

None of the ingredients is listed.

### **16 Other information**

The information and recommendations contained herein are based upon information or tests believed to be reliable. Abbott Laboratories does not guarantee the accuracy or completeness of this information or recommendations contained herein, NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE.

This information is not a substitute for the advice of a health care professional, nor is it a recommendation for any particular course of treatment. It is not intended to supplement, modify or supersede any information (e.g. labeling and package inserts) provided with respect to the medical use of the product. Abbott Laboratories assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

#### **Department issuing SDS**

- Abbott Diagnostics Safety, Health and Environmental Assurance Department 0571

#### Contact

- General information about this product:

Abbott Diagnostics Technical Support 100 Abbott Park Road Abbott Park, IL 60064-3500

Phone: 1-877-4 ABBOTT • Date of preparation / last revision 03/03/2018 / 8

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (Division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit



## Safety Data Sheet

USA

© Abbott Laboratories Release date 03/03/2018

Last alteration on 03/03/2018

## Product name: Abbott Point of Care (APOC) Blood Gas and Hct Quality Controls and Calibration Verification Controls (TriControls)

REL: Recommended Exposure Limit

• \* Sections marked with an asterisk (\*) have been altered since the previous version.