

d I do wilflootlo

© Abbott Laboratories

Last alteration on 05/29/2017

# **1 Identification**

# Product name: ISTAT cTnl Control Level 1 / ISTAT cTnl Control Level 2 / ISTAT cTnl Control Level 3 / ISTAT cTnl CalVer Control Level 1, 2 & 3

#### · ADD List number:

06P17-09 06P17-10 06P17-11 06P17-12

## · Application of the substance / mixture:

Release date 05/29/2017

For In Vitro Diagnostic Use To verify the integrity of newly received i-STAT cTnl cartridges

## · Manufacturer / Supplier:

Abbott Diagnostics 100 Abbott Park Road Abbott Park, IL 60064-3500

Phone: 1-877-4 ABBOTT

· Department issuing SDS: Abbott Diagnostics Environmental Health and Safety

## · Emergency telephone number

Contact the CHEMTREC® Emergency Call Center for assistance with transportation or hazardous materials emergencies (24 hours/day, 7 days/week). Refer to Abbott customer number 675922.

- Telephone (800) 424-9300 (toll-free) if you are calling from within the United States, Canada, Puerto Rico and the

Virgin Islands.

- Telephone +1 (703) 527-3887, the international and maritime number (collect calls accepted), if you are calling from

outside the United States or from a ship at sea.

# 2 Hazard(s) identification

# Classification of the substance or mixture

This product has been evaluated per the classification criteria in the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). This product does not meet the criteria for classification in accordance with the GHS.

# Label elements

· GHS label elements: none

- · Hazard pictograms: none
- · Signal word: none
- · Hazard statements: none
- · Precautionary statements:

i ioouulionui y olu	
P261	Avoid breathing mist / vapors / spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P310	IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/
	physician.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.



© Abbott Laboratories

0.09%

USA

Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

P311	Call a POISON CENTER/doctor.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P501	Dispose of contents / container in accordance with local regulations.

#### · Routes of Exposure:

For bloodborne pathogens and potentially infectious materials:

- non-intact skin
- mucous membranes (which includes, but is not limited to, the lining of the nose, mouth and throat)
- parenteral contact (e.g. by injection, puncture)

Release date 05/29/2017

- Hazard Overview
  - · Health: No adverse effects expected if used as directed.
  - Fire: Noncombustible
  - · Reactivity: Minimal hazard Stable, even in a fire. Not reactive with water. Not an oxidizer.

#### Other hazards

This product contains potentially infectious material. Refer to the US OSHA Bloodborne pathogens standard (29 CFR 1910.1030) for additional relevant information.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixture

· Hazardous chemical ingredients per U.S. OSHA criteria (29 CFR 1910.1200 Hazard Communication):

CAS: 26628-22-8 Sodium azide

# **4 First-aid measures**

## General information:

Use universal precautions. Seek medical attention in case of doubt or if symptoms persist.

• After inhalation: Remove from source of exposure. Seek medical attention and appropriate follow-up.

## After skin contact:

Take off any clothing that the product touched. Wash affected area with soap and water. Seek medical attention and appropriate follow-up.

#### After eye contact:

Rinse open eye(s) cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention and appropriate follow-up. Wash hands after handling.

• After swallowing: Rinse mouth with water. Seek medical attention and appropriate follow-up.

## Information for Medical Personnel

This product contains human sourced and/or potentially infectious components. See package insert / instructions for use for details. No known test method can offer complete assurance that products derived from human sources or inactivated microorganisms will not transmit infection.

· Most important symptoms and effects, both acute and delayed: None expected

· Medical conditions aggravated by exposure: None known



#### Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

# **5 Fire-fighting measures**

## Suitable extinguishing agents

Dry chemical, carbon dioxide (CO2), water spray or regular foam.

- Caution: CO2 will displace air in confined spaces and may cause an oxygen-deficient atmosphere.

- For larger fires: There are no unique chemical or reactivity hazards that would impact firefighting decisions related to this product. Use firefighting measures that suit the environment.

#### Special hazards arising from the substance or mixture

There are no unique chemical or reactivity hazards that would impact firefighting decisions due to the chemicals in this product.

## Protective equipment

For large fires, wear appropriate heat- and flame-resistant personal protective equipment and a NFPA/NIOSH approved positive-pressure, self-contained breathing apparatus.

# 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Handle as a potentially infectious material.

Minimize exposure by using appropriate personal protective equipment as listed in Section 8. Stop leak if possible. Keep unprotected persons away.

## **Environmental precautions**

Prevent liquid and vapor from entering sewage system, storm drains, surface waters, and soil.

## Methods and material for containment and cleaning up

Blot up small volumes of spilled or spattered product with paper towels or similar materials. - Contain larger spills by placing absorbants around the outside edges of the spill. Absorb with any material suitable for water-based liquids - e.g. paper towels, universal sorbents, sand, diatomite, sawdust, etc.

#### Clean the affected area. Suitable cleaners are:

- warm water and detergent or similar cleansing agent

Apply a suitable disinfectant. Select a disinfectant that is effective against bloodborne infectious agents, as well as other microbial agents that you might expect to be prevalent in your population. A disinfectant that is effective against Mycobacterium tuberculosis is generally effective against all known viruses and non-sporeforming bacteria, and is suitable for most clinical laboratory situations.

NOTE: Commercial disinfectants must be used according to manufacturer directions. Disinfectants are typically hazardous chemicals that react with many chemicals, materials and living tissues. Obtain and review the manufacturers safety information before using the disinfectant.

This product contains sodium azide, which is toxic and reactive. See Sections 10 and 13 for additional information that could affect handling and disposal of contaminated spill materials.

NOTE FOR LARGE-VOLUME SPILL: This product contains sodium azide, which reacts with acid to liberate hydrazoic acid, a very toxic gas. Select a disinfectant with the following properties if disinfection of materials used to absorb a large volume of spilled product is required:

- Do not use any chemical or product with a pH below 6 to disinfect waste that contains sodium azide. Hydrazoic acid, a toxic gas, will be released when the pH is lower than 6.

- Do not use any chemical or product that contains mercury or any other metal to disinfect waste that contains sodium azide. This will create metal azide compounds, which can be highly explosive under pressure or shock (percussion).

- Select a disinfectant that does not bubble, effervesce or otherwise generate aerosols.

- Do not use excess disinfectant.



Safety Data Sheet

Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

- Failure to follow manufacturers directions may lead to unexpected reactions with the waste.

- Do not use a disinfectant if you do not have the proper facility, equipment and other appropriate protective measures available to work with it safely.

Dispose of spilled and contaminated material in accordance with Federal, State, and Local regulations. See Section 13 for information that may impact disposal of materials contaminated with this product.

## **Reference to other sections**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Release date 05/29/2017

# 7 Handling and storage

- · Precautions for safe handling: Handle as a potentially infectious material.
- · Information about protection against explosions and fires: The product is not flammable.
- Requirements to be met by storerooms and receptacles: Store only in the original container. Refer to the package insert or product label for additional information on storage conditions for product quality.
- · Information about storage in one common storage facility: Store in original packaging.
- Further information about storage conditions: Protect from heat and direct sunlight.

# 8 Exposure controls/personal protection

=					
·Com	Components with Occupational Exposure Limits				
CAS: 6	CAS: 67-56-1 Methanol (1.00 %)				
PEL	TWA: 260 mg/m <sup>3</sup> , 200 ppm				
REL	STEL/C: 325 mg/m³, 250 ppm TWA: 260 mg/m³, 200 ppm Skin				
TLV	STEL/C: 328 mg/m³, 250 ppm TWA: 262 mg/m³, 200 ppm Skin; BEI				
CAS: 5	CAS: 56-75-7 Chloramphenicol (0.10 %)				
WEEL	WEEL TWA: 0.5 mg/m <sup>3</sup>				
CAS: 2	26628-22-8 Sodium azide (0.09 %)				
REL	Ceiling limit value: 0.3** mg/m <sup>3</sup> , 0.1* ppm *as HN3; **as NaN3; Skin				
TLV	Ceiling limit value: 0.29** mg/m³, 0.11* ppm *as HN3 vapor **as NaN3				
•	Ingredients with biological limit values:				
CAS: 6	67-56-1 Methanol (1.00 %)				
Ti	5 mg/L ledium: urine ime: end of shift arameter: Methanol (background, nonspecific)				



USA

Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

## · General protective and hygienic measures:

Release date 05/29/2017

Always maintain good housekeeping and follow general precautionary measures. Do not eat, drink or store food and beverages in areas where chemicals or specimens are used. Wash hands before breaks, after handling reagents and specimens, and at the end of the workshift.

Observe universal precautions and other appropriate biosafety practices for handling potentially infectious material.

#### Breathing equipment:

Normal use and storage of product - respiratory protection is not necessary if room is well ventilated.

Small-volume spills (e.g. small enough to clean up with a paper towel or small sorbent pad) - respiratory protection should not be necessary if room is well ventilated.

Other unusual conditions (e.g. volume spilled too big to clean up with materials in arm's reach) - Use appropriate NIOSH-approved air-purifying respirator if airborne chemical concentrations may exceed the exposure limit (if any) listed above.

Hazardous Materials Emergencies or Firefighting - use NIOSH/NFPA-approved respiratory protection.

#### · Hand protection:

Wear impervious gloves if hand contact with the material is anticipated. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

#### · Material of gloves and breakthrough time of the glove material:

The glove material must be suitable for use in a microbiological laboratory and have a measured breakthrough time of at least 30 minutes, such as those with a Class 2 protection index per EN374 (or equivalent standard applicable in your region). NOTE: This recommendation applies only to the product stated in this Safety Data Sheet. When dissolving in or mixing with other substances, contact the supplier of approved gloves.

#### · Eye protection:

Wear safety glasses or other protective eyewear. If splash potential exists, wear full face shield or goggles.

#### · Body protection:

Normal use: protect personal clothing from spatters and small spills. Wear a laboratory coat (or other protective clothing required by your institution).

Larger spills (e.g. that can saturate cloth): wear appropriate water-repellant covering over clothing.

General Information		
· Form:	Liquid	
· Color:	Light yellow	
· Odor:	Mild	
pH-value	Not determined	
• Melting point/Melting range:	Not determined	
· Boiling point/Boiling range:	Not determined	
Flash point	Not applicable	
Flammability (solid, gaseou	s) Not applicable	
Auto igniting	Product is not self-igniting.	



© Abbott Laboratories

Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

Danger of explosion	Product does not present an explosion hazard.	
Explosion limits		
· Lower:	Not determined	
· Upper:	Not determined	
· Density	Not determined	
· Evaporation rate:	Not determined	
Solubility in / Miscibility	with	
· Water:	Fully miscible	
· Dynamic:	Not determined	

# 10 Stability and reactivity

 Thermal decomposition / conditions to be avoided No decomposition if used and stored according to specifications.

# Possibility of hazardous reactions:

Release date 05/29/2017

This product contains sodium azide. Sodium azide solutions are reported to:

- react with acids to release hydrazoic acid, a very toxic gas. Higher quantities of hydrazoic acid are released as the solution becomes more acidic (i.e., as the pH of the solution gets lower). Low quantities of hydrazoic acid can be released from sodium azide in water.

- react with certain metals (copper, lead, silver, brass) to form explosive metal azide compounds. Violent explosions have been reported during plumbing work on drain systems containing accumulations of azide on copper, lead, brass, or solder.

- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

# • Acute toxicity

- LD50/LC50 values for hazardous ingredients per OSHA criteria: • Ingredients (100% pure substance/s): Not applicable.
- · Primary toxicological effects of the final product:
  - · Skin irritation: No irritant effect.
  - · Eye irritation: No irritant effect.
- · Sensitization: No sensitizing effects known.

# • Additional toxicological information: None

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## · NTP (National Toxicology Program)

None of the ingredients is listed.



# Safety Data Sheet

#### Last alteration on 05/29/2017

© Abbott Laboratories

s Release date 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# • Target organs/systems: Unknown

# **12 Ecological information**

## · Aquatic toxicity:

Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

#### • Additional ecological information • General notes: Not known to be a water pollutant.

General notes. Not known to be a water political

# Results of PBT and vPvB assessment

- · PBT: Not applicable
- · vPvB: Not applicable

# **13 Disposal considerations**

#### · Recommendation for disposal of unused product:

Dispose in accordance with federal, state and local regulations and institutional requirements. Waste containing this product may be considered hazardous per U.S. EPA, state or local regulations. The following may be particularly important when identifying appropriate disposal:

- Potentially infectious. See Section 4, Information for Medical Personnel, for more information.
- See Section 6 for information when institutional or regulatory requirements include any sort of treatment of potentially infectious waste.

- Contains sodium azide. See Section 10 when considering how to appropriately dispose of unused product. For drain systems with pipes or solder containing copper, lead, brass and/or silver, flush drains thoroughly with copious amounts of water to prevent the formation of potentially explosive metal azides in plumbing. Detailed information about azides in drains is available from the U.S. NIOSH Current Intelligence Bulletin No. 13 (August 16, 1976).

## · Recommendation for disposal of packaging:

Non-contaminated packaging may be used for recycling. Refer to applicable local regulations and institutional policies.

For disposal of contaminated packaging, refer to applicable local regulations and institutional policies.

## • Recommended cleansing agent: Water with cleansing agents, if necessary.

# **14 Transport information**

# · DOT, ADN, IMDG, IATA none

• UN proper shipping name • DOT, ADR, ADN, IMDG, IATA none

# Transport hazard class(es)

• DOT, ADR, ADN, IMDG, IATA • Class none • DOT, IMDG, IATA none

- USA



© Abbott Laboratories

Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

Environmental hazards Marine pollutant:	No
Additional information	
· DOT	
· Remarks:	Not restricted for transportation.
· ADR	·
· Remarks:	Not restricted for transportation.
·IMDG	·
· Remarks:	Not restricted for transportation.
· IATA	·
· Remarks:	Not restricted for transportation.

# 15 Regulatory information

## · SARA (Superfund Amendments and Reauthorization Act of 1986 - USA):

· Section 302/304 (40CFR355.30 / 40CFR355.40):	
CAS: 143-33-9	sodium cyanide
CAS: 26628-22-8	Sodium azide
· Section 313 (40CFR372.65):	
CAS: 67-56-1	Methanol
CAS: 143-33-9	sodium cyanide
CAS: 26628-22-8	Sodium azide

## · California Proposition 65 (USA):

Chemicals known to cause cancer:

Release date 05/29/2017

The product does not contain listed substances.

# Chemicals known to cause female reproductive toxicity:

None of the ingredients is listed.

· Chemicals known to cause male reproductive toxicity:

CAS: 143-33-9 sodium cyanide

## Chemicals known to cause developmental reproductive toxicity:

CAS: 67-56-1 Methanol

CAS: 3810-74-0 Streptomycin sulphate

# **16 Other information**

The information and recommendations contained herein are based upon information or tests believed to be reliable. Abbott Laboratories does not guarantee the accuracy or completeness of this information or recommendations contained herein, NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE.

This information is not a substitute for the advice of a health care professional, nor is it a recommendation for any particular course of treatment. It is not intended to supplement, modify or supersede any information (e.g. labeling and package inserts) provided with respect to the medical use of the product. Abbott Laboratories assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the



© Abbott Laboratories Release date 05/29/2017

Last alteration on 05/29/2017

# Product name: iSTAT cTnl Control Level 1 / iSTAT cTnl Control Level 2 / iSTAT cTnl Control Level 3 / iSTAT cTnl CalVer Control Level 1, 2 & 3

use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

# Department issuing SDS

- Abbott Diagnostics Safety, Health and Environmental Assurance Department 0571

## Contact

- General information about this product:

Abbott Diagnostics Technical Support 100 Abbott Park Road Abbott Park, IL 60064-3500

Phone: 1-877-4 ABBOTT

· Date of preparation / last revision 05/29/2017 / 2

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (Division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** 

\*\* Sections marked with an asterisk (\*) have been altered since the previous version.

USA